

125 ONE HOUR CAULK

Page: 1

Compilation date: 30/09/2013

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 125 ONE HOUR CAULK

Product code: 125

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: EVERBUILD BUILDING PRODUCTS LTD

SITE 41, KNOWSTHORPE WAY

CROSS GREEN INDUSTRIAL ESTATE

LEEDS

WEST YORKSHIRE

- LS9OSW
- ENGLAND

Tel: 0044 113 240 3456

Fax: 0044 113 240 0024

Email: pault@everbuild.co.uk

1.4. Emergency telephone number

Emergency tel: 0044 113 240 3456 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: No significant hazard.

Precautionary phrases: Contains preservative based on: biphenyl-2-ol and 2-methyl-2h-isothiazol-3-one. May

produce an allergic reaction.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

125 ONE HOUR CAULK

Page: 2

Hazardous ingredients:

PRESERVATIVE BASED ON: BIPHENYL-2-OL AND 2-METHYL-2H-ISOTHIAZOL-3-ONE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Xi: R36/38; Sens.: R43; N: R50	Skin Irrit. 2: H315; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Sens. 1: H317	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

125 ONE HOUR CAULK

Page: 3

6.4. Reference to other section	S	rage. 5			
Section 7: Handling and storage					
7.1. Precautions for safe handli	-				
7.1. Precautions for sale nandling					
7.2. Conditions for safe storage	e, including any incompatibilities				
Storage conditions:	Store in cool, well ventilated area. Store in original containers between +5	and +25`C.			
	Storage outside these paramaters will dramatically reduce shelf life and in	validates all			
	product warrenties.				
Suitable packaging:	Must only be kept in original packaging.				
7.3. Specific end use(s)					
Section 8: Exposure controls/p	personal protection				
8.1. Control parameters					
Workplace exposure limits:	No data available.				
8.1. DNEL/PNEC Values					
DNEL / PNEC	No data available.				
8.2. Exposure controls					
Respiratory protection:	Respiratory protection not required.				
Hand protection:	Protective gloves.				
Eye protection:	Safety glasses. Ensure eye bath is to hand.				
Skin protection:	Protective clothing.				
Section 9: Physical and chemical properties					
9.1. Information on basic physi	ical and chemical properties				
State:	Paste				
Colour:	Various				
Odour:	Barely perceptible odour				
Evaporation rate:	Slow				
Oxidising:	Non-oxidising (by EC criteria)				
Solubility in water:	Miscible				
Viscosity:	Highly viscous				
Viscosity test method:	x 1000 cps - Brookfield HBDV2+, spindle S70, 10rpm @ 20`C				
Boiling point/range°C:	-				
upper:	-				
Autoflammability°C:					
Relative density:		8.5-9.5			
VOC g/l:	9.8				

125 ONE HOUR CAULK

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

Page: 4

125 ONE HOUR CAULK

Page: 5

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of according to local or national legislation

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H400: Very toxic to aquatic life.
	R36/38: Irritating to eyes and skin.
	R43: May cause sensitisation by skin contact.
	R50: Very toxic to aquatic organisms.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.