

Revision Date 11/07/12

Supersedes date 27/07/09



SAFETY DATA SHEET

ARBOKOL 2150 BASE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name ARBOKOL 2150 BASE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Base component of: A two-part sealant

1.3. Details of the supplier of the safety data sheet

Supplier Adshead Ratcliffe & Co. Ltd.
Derby Road, Belper
Derbyshire.
DE56 1WJ
Tel. (+44) 01773 826661
Fax. (+44) 01773 821215
sds@arbo.co.uk

1.4. Emergency telephone number

(+44) 01773 826661 (office hours only)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) R52/53.

Human health

The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals in contact with skin.

Environment

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

2.2. Label elements

Risk Phrases

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases

S60

This material and its container must be disposed of as hazardous waste.

P14

Contains 3-GLYCIDOXYPROPYLTRIMETHOXSILANE. May produce an allergic reaction.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

ARBOKOL 2150 BASE

3.2. Mixtures

LIQUID POLYSULPHIDE POLYMER with thiol end groups (MW >1800)	30-60%
CAS-No.: 68611-50-7	EC No.:
Classification (EC 1272/2008) Aquatic Chronic 3 - H412	Classification (67/548/EEC) R52/53.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

Polysulphide polymer, with mineral fillers, plasticiser and auxiliaries.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Give milk instead of water if readily available. DO NOT induce vomiting. Get medical attention immediately.

Skin contact

Wipe off excess material with cloth or paper. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

No specific symptoms noted.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

No specific symptoms noted.

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Water spray. Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

ARBOKOL 2150 BASE

No unusual fire or explosion hazards noted.

Specific hazards

Toxic gases/vapours/fumes of: Sulphurous gases (SO_x).

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Wear self contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses. Avoid discharge onto the ground.

6.3. Methods and material for containment and cleaning up

Transfer to a container for disposal. Flush area with water. Do not contaminate water sources or sewer.

6.4. Reference to other sections

For personal protection, see section 8. See section 11 for additional information on health hazards. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See section 12. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Observe good chemical hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Unspecified storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

Gunnable sealant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Engineering measures

No particular ventilation requirements.

Hand protection

Use suitable protective gloves if risk of skin contact. Rubber (natural, latex).

Eye protection

ARBOKOL 2150 BASE

Not generally required.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Environmental Exposure Controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Paste.
Odour	Mercaptan
Solubility	Insoluble in water
Initial boiling point and boiling range	
Not applicable.	
Melting point (°C)	
Not applicable.	
Relative density	1.52 - 1.54 @ 20°C
Vapour density (air=1)	
Not applicable.	
Vapour pressure	
Not applicable.	
Evaporation rate	
Not applicable.	
Evaporation Factor	
Not applicable. pH- Value, Conc. Solution	
Not applicable.	
pH-Value, Diluted Solution	
Not applicable.	
Viscosity	10, 000 - 15, 000 Ps @ 20°C
Solubility Value (G/100G H ₂ O@20°C)	
Not applicable. Odour	
Threshold, Lower	
Not applicable. Odour	
Threshold, Upper	
Not applicable.	
Flash point	
Not applicable.	
Flammability Limit - Lower(%)	
Not applicable.	
Flammability Limit - Upper(%)	
Not applicable.	
Explosive properties	
Not applicable.	
Oxidising properties	Not applicable.
9.2. Other information	
None.	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not known.

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Sulphur dioxide. Hydrogen sulphide (H₂S). Formaldehyde. Mercaptan.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxic Dose 1 - LD 50

Liquid polysulphide polymer >5000 mg/kg (oral rat)

Toxic Dose 2 - LD 50 Liquid polysulphide polymer >7800 mg/kg (dermal rat)

Toxicological information

The product has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly.

Acute toxicity:

Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Based on available data the classification criteria are not met.

Serious eye damage/irritation:

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:

The product contains a small amount of a sensitising substance which may cause an allergic reaction in sensitive individuals.

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

This substance has no evidence of carcinogenic properties.

Reproductive Toxicity:

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure:

Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure:

ARBOKOL 2150 BASE

Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard:

Not relevant, due to the form of the product.

Inhalation

No specific health warnings noted.

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals after repeated contact. Eye contact

May cause temporary eye irritation. Will not injure eye tissue.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1. Toxicity

Acute Fish Toxicity

Harmful to aquatic organisms,

LC 50, 96 Hrs, Fish mg/l Liquid polysulphide polymer: 1000

EC 50, 48 Hrs, Daphnia, mg/l Liquid polysulphide polymer: 1160

12.2. Persistence and degradability

Degradability

Product contains: Polysulphide polymer: which is: Poorly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

May be mixed with curing agent component to give an inert polymeric material.

Waste Class

ARBOKOL 2150 BASE

H14 - Ecotoxic

Recommended EWC Code 08 04 09*

SECTION 14: TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information available.

14.5. Environmental hazards

14.6. Special precautions for user

No information required.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) 1907/2006 REACH. Regulation (EC) 1272/2008 CLP.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

New format as required by REACH Annex II

Revision Date 11/07/12

Supersedes date 27/07/09

SDS No. 10064

Risk Phrases In Full

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H412 Harmful to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.