### SAFETY DATA SHEET

DEEP GAP FILLER



Issued: 28/08/2009

Revision No: 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

DEEP GAP FILLER

**Product name:** 

Company name: EVERBUILD BUILDING PRODUCTS LTD

SITE 41, KNOWSTHORPE WAY

CROSS GREEN INDUSTRIAL ESTATE

**LEEDS** 

WEST YORKSHIRE

LS9OSW ENGLAND

Tel: 0044 113 240 3456 Fax: 0044 113 240 0024

Emergency tel: 0044 113 240 3456 (office hours only)

Email: pault@everbuild.co.uk

### 2. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: 2-(2-BUTOXYETHOXY)ETHANOL 1-10%

EINECS: 203-961-6 CAS: 112-34-5

[Xi] R36

### 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

# 4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.Eye contact: Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

Page 1

### SAFETY DATA SHEET

### DEEP GAP FILLER

and eyes.

[cont...]

Page 2

Issued: 28/08/2009

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Wash the spillage site with large amounts of water.

## 7. HANDLING AND STORAGE

Storage conditions: Store in cool, well ventilated area. Store in original containers between +5 and +25°C. Storage

outside these paramaters will dramatically reduce shelf life and invalidates all product warrenties.

Suitable packaging: Must only be kept in original packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous

ingredients: 2-(2-BUTOXYETHOXY)ETHANOL

WEL (8 hr TWA): 67.5 mg/m3 WEL (15 min STEL): 101.2 mg/m3

Respiratory Avoid inhalation of dust when sanding dry product. If in doubt, Respiratory protective device with

**protection:** particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Paste

State:

Colour: White

Odour: Barely perceptible odour

**Evaporation rate:** Slow

Viscosity: Highly viscous

**Boiling point/range°C:** 100°C

Autoflammability°C: N.D

**Relative density:** 1.0 - 1.5g/cm3

**pH:** 8.5-9.9

#### DEEP GAP FILLER

#### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

### 11. TOXICOLOGICAL INFORMATION

**Hazardous ingredients:** 2-(2-BUTOXYETHOXY)ETHANOL

ORL MUS LD50 6050 mg/kg ORL RAT LD50 4500 mg/kg

[cont...]

Issued: 28/08/2009

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

### 12. ECOLOGICAL INFORMATION

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Other adverse effects: No data available.

### 13. DISPOSAL CONSIDERATIONS

**Disposal operations:** Dispose of according to local or national legislation

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## 14. TRANSPORT INFORMATION

### ADR / RID

UN no: Not Classified.

# IMDG / IMO

UN no: Not Classified.

## IATA / ICAO

UN no: Not Classified.

### 15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Note: The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

## **SAFETY DATA SHEET**

DEEP GAP FILLER

# 16. OTHER INFORMATION

**Risk phrases used in s.3:** R36: Irritating to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall

be used only as a guide. This company shall not be held liable for any damage resulting from

handling or from contact with the above product.

[final page]

Page 4